



THIS DRAWING IS A SOURCE CONTROL DRAWING AND IS PROPRIETARY TO MICROWAVE FILTER CO., INC. AND
MAY NOT BE DUPLICATED OR DISTRIBUTED WITHOUT WRITTEN PERMISSION OF MICROWAVE FILTER CO., INC.
THIS DRAWING ALSO DESCRIBES TRADE SECRETS AND IS THE EXCLUSIVE PROPERTY OF MICROWAVE FILTER CO., INC

REVISION			
LTR	ECN	DATE	APPR'D
-	4951	2/18/18	MW
A	5057	9/22/22	TB




SPECIFICATIONS

PASSBAND: 3.625 TO 4.2 GHz
 INSERTION LOSS: 0.5 dB APPROX. @ Fo
 0.5 dB APPROX. ROLL OFF @ BAND EDGES
 VSWR: 1.5:1 TYP
 GROUP DELAY VARIATION: 8 nS MAX

REJECTION	FREQUENCY
45 dB MIN	3.575, 4.275 GHz
55 dB TYP	3.475, 4.375 GHz
70 dB TYP	3.425, 4.425 GHz

FLANGES: CPR229G (INPUT)
 CPR229F (OUTPUT)
 HALF GASKET SUPPLIED WITH EACH UNIT
 WEIGHT: 1.125 lbs APPROX.



UNLESS SPECIFIED
ALL TOLERANCES \pm .060

ENVELOPE DRAWING

MFC MICROWAVE FILTER CO. INC. 6743 KINNE ST. E. SYRACUSE, N.Y. 13057		FSCM27834	
DATE 2/20/18		TITLE	
DWN BY MW		BANDPASS FILTER	
ENGINEER P.M.		DRAWING NO. 13961W-I-3625/4200	REV A