

# BT-1488

## Bias Tee BT-1400 Series

**DC Connector:** 8: BNC (Female)

**10 MHz Injection:** 8: BNC (Female)



## KEY SPECIFICATIONS

<b>Band</b>	L-Band
<b>Pass Band</b>	950 - 2150 MHz

## RF SPECIFICATIONS

<b>10mhz Pass Band</b>	10 - 100 MHz
<b>Input VSWR</b>	2.0 : 1 max.
<b>Insertion Loss Max</b>	1 dB
<b>Output VSWR</b>	2.0 : 1 max.

## INTERFACE SPECIFICATIONS

<b>10mhz Injection</b>	BNC (Female)
<b>DC Connector</b>	BNC (Female)
<b>Output Connector</b>	N (Male) - 50 Ohm
<b>RF Input Connector</b>	N (Female) - 50 Ohm

## ENVIRONMENTAL SPECIFICATIONS

<b>IP Rating</b>	IP 66
<b>Temperature Operational</b>	-30°C to +50°C
<b>Temperature Storage</b>	-40 to +70°C

## PHYSICAL SPECIFICATIONS

<b>Product Height</b>	25 mm
<b>Product Length</b>	105 mm
<b>Product Weight</b>	0.17 kg




Product Width 55 mm

### LOGISTICS SPECIFICATIONS

HS Code	Country of Origin	Ex Works	ECCN Number	Unit Package
8517690000	Made in Canada	Richmond, BC, Canada	EAR99	105 x 55 x 25 mm

### HOW TO ORDER

#### BT-1188





### MECHANICAL DIAGRAMS





**Norsat**  
International Inc.

Innovative Communication Solutions



OPTIONAL MOUNTING PLATE



Norsat  
International Inc.

**ESATCOM**  
INC.

Norsat authorized distributor

**ESATCOM INC.**

3628 Francis Lewis Blvd.  
Flushing, NY 11358  
[www.esatcom.com](http://www.esatcom.com)  
Tel: 718.799.0084  
Email: [sales@esatcom.com](mailto:sales@esatcom.com)