

Innovative Communication Solutions

9700HIABF 9700 Dual-Band Ka-Band PLL LNB

Frequency: AB: 18.2 - 19.2 & 19.2 - 21.2 GHz W/G Isolator: Yes Connector: F: 75 Ohm



KEY SPECIFICATIONS

| Band | Ka-Band |
|-------------------------|-------------------|
| Input Frequency Band 1 | 18.20 - 19.20 GHz |
| Input Frequency Band 2 | 19.20 - 20.20 GHz |
| LO Frequency 1 | 17.25 GHz |
| LO Frequency 2 | 18.25 GHz |
| LO Stability | ±70 kHz |
| LO Туре | PLL |
| Noise Figure Max | 1.3 dB |
| Noise Figure Typ | 1.6 dB |
| Of Onboard Los | Dual-band |
| Output Frequency Band 1 | 950 - 1950 MHz |
| Output Frequency Band 2 | 950 - 1950 MHz |
| | |

RF SPECIFICATIONS

| Control Signal 1 | 13V / No Tone |
|--------------------------------|---------------|
| Control Signal 2 | 18V / No Tone |
| Conversion Gain Max | 65 dB |
| Conversion Gain Min | 55 dB |
| Conversion Gain Typ | 60 dB |
| Gain Flatness (over Full Band) | ≤ 5 dB p-p |
| Input VSWR | 2.5 : 1 max. |
| Output P1db | + 5 dBm min. |






Norsat International Inc.



Norsat

| | | | Innovative Com | nmunication Solution | | | |
|---|----------------------|----------|-------------------------|----------------------|--|--|--|
| Output VSWR | | 2 | 2.5 : 1 max. | | | | |
| Phase Noise 100khz C | Offset Max | -9 | -95 dBc/Hz | | | | |
| Phase Noise 10khz Of | fset Max | -7 | -78 dBc/Hz | | | | |
| Phase Noise 1khz Offs | set Max | -7 | -70 dBc/Hz | | | | |
| ELECTRICAL SPECIFICATIONS | | | | | | | |
| Power Requirements | | + | +12 to +24V DC | | | | |
| INTERFACE S | SPECIFICATION | S | | | | | |
| RF Input Connector | | V | WR-42 waveguide grooved | | | | |
| ENVIRONMENTAL SPECIFICATIONS | | | | | | | |
| Temperature Operation | nal | -4 | -40 to +60°C | | | | |
| Temperature Storage | | -4 | -40 to +80°C | | | | |
| PHYSICAL SF | PECIFICATIONS | | | | | | |
| Product Dimensions (LxWxH) 120 x 60 x 45 mm | | | 20 x 60 x 45 mm | | | | |
| Product Weight | | 4 | 420 g (14.82 oz) | | | | |
| LOGISTICS S | PECIFICATIONS | 6 | | | | | |
| HS Code | Country of Origin | Ex Works | ECCN Number | Unit Package | | | |
| 8517690000 | Made in Korea | Korea | EAR99 | N/A N/A | | | |
| HOW TO ORDER | | | | | | | |




MECHANICAL DIAGRAMS



CE



Innovative Communication Solutions





Esatcom Inc Norsat authorized distributor www.esatcom.com Tel 718.799.0084 Email sales@esatcom.com